

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/3

Acrylic Primer

Revision 2 Revision date 2012-09-20

	Revision date 2012-03-20	
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Acrylic Primer	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing; [ERC8c] Wide dispersive indoor use resulting in inclusion into or onto a matrix; [AC4] Stone, plaster, cement, glass and ceramic articles;	
Description	Water based dispersion of a styrene acrylic copolymer.	
1.3. Details of the supplier of the safety data sheet		
Company	Larsen Building Products Ltd	
Address	4 West Bank Road	
	Belfast Harbour Industrial Estate	
	Belfast	
	BT3 9JL	
	United Kingdom	
Web	www.larsenbuildingproducts.com	
Telephone	+44 (0)28 9077 4000	
Fax	+44 (0)28 9077 6945	
Email	t.moore@larsenbuildingproducts.com	
Intended use		
	This product is intended for use in substrate preparation to be applied by brush or roller.	
SECTION 2: Hazards identif	ication	
2.1. Classification of the substance or mixture		

Main hazards	No Significant Hazard
IVIAIII IIALAIUS	i ino oluillioalit Hazaiu

SECTION 3: Composition/information on ingredients

3.1. Substances

. None.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures



Acrylic Primer

Revision 2 Revision date 2012-09-20

5.1. Extinguishing media		
	Use extinguishing media appropriate to the surrounding fire conditions.	
5.2. Special hazards arising from	n the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes.	
5.3. Advice for firefighters		
	Wear suitable respiratory equipment when necessary.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
	Ensure adequate ventilation of the working area.	
6.2. Environmental precautions		
	Do not allow product to enter drains. Prevent further spillage if safe.	
6.3. Methods and material for containment and cleaning up		
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.	
SECTION 7: Handling and st	SECTION 7: Handling and storage	
7.1. Precautions for safe handling	ng	
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.	
7.2. Conditions for safe storage	7.2. Conditions for safe storage, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.	
SECTION 8: Exposure controls/personal protection		
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.	
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.	
Skin protection - Handprotection	Chemical resistant gloves (PVC).	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Miscible in water.

State
Colour
Colour
Odour
PH
6 - 8
Freezing Point
Boiling point
Flammability limits
Relative density
Solubility
Liquid
pink
Characteristic
6 - 8
0 °C
100 °C
N/A
1.0 - 1.1
Miscible in water

9.2. Other information

Specific gravity 1 - 1.1 g/cm³	
Water solubility	





Acrylic Primer

Revision 2 Revision date 2012-09-20

SECTION	10: Stability a	and reactivity
---------	-----------------	----------------

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

SECTION 12: Ecological information

SECTION 13: Disposal cons	SECTION 13: Disposal considerations		
General information			
	Dispose of in compliance with all local and national regulations.		
SECTION 14: Transport info	SECTION 14: Transport information		
ADR/RID			
	The product is not classified as dangerous for carriage.		
IMDG	IMDG		
	The product is not classified as dangerous for carriage.		
IATA			
	The product is not classified as dangerous for carriage.		
Further information			
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory in	formation		
Labelling			
Risk phrases	No Significant Hazard.		
SECTION 16: Other information	ation		
Other information			
Revision	This document differs from the previous version in the following areas:. 3 - 3.1. Substances.		
Product Subcategory	Binding primers - 30 g/l.		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.		

