



SAFETY DATA SHEET

Mouldex

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Mouldex

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Mould and Mildew Remover for household use.

Uses advised against Any use other than those identified.

1.3. Details of the supplier of the safety data sheet

Supplier LTP
Tone Industrial Estate
Milverton Road
Wellington
Somerset
TA21 0AN
Tel: 01823 666213
Fax: 01823 665685
info@ltp-online.co.uk

1.4. Emergency telephone number
0870 190 6777

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	EUH031
Environment	Not classified.

Classification (1999/45/EEC)

R31.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

Splashes in the eyes may cause redness and irritation.

Environment

The product contains a substance which is toxic to aquatic organisms.

Physical and Chemical Hazards

Resultant solution may be highly alkaline and possess a pH of ≥ 10.5 .

2.2. Label elements

Label In Accordance With (EC) No. 1272/2008

No pictogram required.

Precautionary Statements

P102	Keep out of reach of children.
P261	Avoid breathing vapour/spray.
P302+350	IF ON SKIN: Gently wash with plenty of soap and water.
P314	Get medical advice/attention if you feel unwell.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local regulations.

Mouldex

Supplemental label information

EUH031

Contact with acids liberates toxic gas.

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

sodium hypochlorite	1-5%
CAS-No.: 7681-52-9	EC No.: 231-668-3
Classification (EC 1272/2008) EUH031 Skin Corr. 1B - H314 Aquatic Acute 1 - H400	Classification (67/548/EEC) C;R34 R31 N;R50
myristyldimethylamine oxide	1-5%
CAS-No.: 3332-27-2	EC No.: 222-059-3
Classification (EC 1272/2008) Eye Dam. 1 - H318	Classification (67/548/EEC) Xi;R41. N;R51.
SODIUM HYDROXIDE	<0.5%
CAS-No.: 1310-73-2	EC No.: 215-185-5
Classification (EC 1272/2008) Skin Corr. 1A - H314	Classification (67/548/EEC) C;R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

NOTE! Effects may be delayed. Keep affected person under observation.

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

Immediately rinse mouth and provide fresh air. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

Eye contact

Check for contact lenses which must be removed from the eyes before rinsing.

Promptly rinse eyes with plenty of clean water while lifting the eyelids.

Continue to rinse for at least 15 minutes. Continue until the eyes are free of all particles.

Get medical attention if any discomfort or irritation persists.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Mouldex

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards

Fire emits clouds of smoke which may contain toxic vapours, gases and fumes.

5.3. Advice for firefighters

Protective equipment for fire-fighters

Wear self-contained breathing apparatus and full protective clothing. Keep all unnecessary people away. Fire water run-off must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water run-off.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing (see Section 8). Keep unnecessary people at a safe distance.

6.2. Environmental precautions

Cover all drains and sewers. Avoid spreading spilt material.

6.3. Methods and material for containment and cleaning up

Absorb in vermiculite, sand, diatomaceous earth or other inert absorbent material. Place into clearly labelled container for recovery or disposal (see section 13). Rinse site with copious amounts of water, which should not be allowed into drains, sewers or water courses.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Prevent spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Protect from light, including direct sunrays.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
SODIUM HYDROXIDE	WEL				2 mg/m ³	

WEL = Workplace Exposure Limit.

Mouldex

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL				
Industry	Inhalation.	Long Term	Local Effects	1 mg/m3
Consumer	Inhalation.	Long Term	Local Effects	1 mg/m3

sodium hypochlorite (CAS: 7681-52-9)

DNEL				
Consumer	Inhalation.	Short Term	Systemic Effects	3.1 mg/m3
Consumer	Inhalation.	Short Term	Local Effects	3.1 mg/m3
Consumer	Inhalation.	Long Term	Systemic Effects	1.55 mg/m3
Consumer	Oral	Long Term	Systemic Effects	0.26 mg/kg/day
PNEC				
Freshwater	0.00021	mg/l		
Marinewater	0.00042	mg/l		
Intermittent release	0.00026	mg/l		
STP	0.03	mg/l		

8.2. Exposure controls

Process conditions

Provide eyewash station.

Engineering measures

Provide adequate general and local exhaust ventilation.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Wear protective gloves. After using gloves the hands should be washed and dried thoroughly and a suitable moisturiser applied.

Eye protection

Wear dust resistant safety goggles where there is danger of eye contact.

Hygiene measures

Wash hands after contact. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. Promptly remove any clothing that becomes contaminated. Launder clothing before re-use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Colourless liquid.
Odour	Chlorine. Bleach
Solubility	Completely miscible with water.
Relative density	ca. 1.04
pH-Value, Conc. Solution	>12
Flash point	
Technically not feasible.	
	Aqueous solution.

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions of storage and use. See section 7.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Not relevant

10.4. Conditions to avoid

Avoid heat.

10.5. Incompatible materials

Materials To Avoid

Strong acids.

Mouldex

10.6. Hazardous decomposition products

Fires or excessive heat may give off toxic fumes and gases.

Dangerous Reactions

Avoid unintended contact with strong acids.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No data are available for this product. It has been classified according to the calculation procedure of the EC Dangerous Preparations Directive using known information and calculated data about the individual components then read across to the Classification, Labelling and Packaging of substances and mixtures directive (as amended).

Inhalation

Vapours may irritate the respiratory system and cause coughing, asthmatic breathing and breathlessness.

Ingestion

May cause chemical burns in mouth and throat.

Skin contact

Liquid may irritate skin.

Eye contact

May cause severe irritation to eyes.

Target Organs

Eyes Skin

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

12.1. Toxicity

Acute Fish Toxicity

No data is available for this preparation. Classified according to the calculation procedure of the EC Dangerous Preparations Directive using known data and information about the individual components

12.2. Persistence and degradability

Degradability

The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

The product is miscible with water. May spread in water systems.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

Mouldex

General information

Do not dispose to landfill or in water courses.

13.1. Waste treatment methods

Product is intended for household use. Small quantities may be disposed of by emptying into the drain whilst carefully flushing away with running water.

Larger quantities should be disposed of in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport Labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 SI No 716. (CHIP4).

Control of Substances Hazardous to Health Regulations (as amended). (COSHH)

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007. (CDG 2009)

Approved Code Of Practice

Approved classification and labelling guide L131 (Sixth Edition - 2009)

The Control of Substances Hazardous to Health Regulations 2002 (as amended). Approved code of practice and guidance.

Fifth Edition 2005. HSE Books, or download at: <http://www.hse.gov.uk/pubns/priced/l15.pdf>

Guidance Notes

COSHH essentials. 'Easy steps to control chemicals.' Only available on HSE's website and regularly updated at www.hse.gov.uk/pubns/guidance/index.htm

Introduction to Local Exhaust Ventilation HS(G)37.

Maintenance, examination and testing of local exhaust ventilation HSG154 (HSE 1998).

Workplace Exposure Limits EH40/2007

EU Legislation

ADR (L'Accord européen relative au transport international des marchandises dangereuses par route.)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation

(EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Mouldex

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

EC Regulation 648/2004 on Detergents.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation EC 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request

Revision Comments

Change of formulation.

Revision Date 05-OCT-12

Revision 01:01142

Supersedes date 28-MAY-12

Risk Phrases In Full

R34 Causes burns.
R35 Causes severe burns.
R31 Contact with acids liberates toxic gas.
R41 Risk of serious damage to eyes.
R51 Toxic to aquatic organisms.
R50 Very toxic to aquatic organisms.

Hazard Statements In Full

H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
EUH031 Contact with acids liberates toxic gas.
H400 Very toxic to aquatic life.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.