

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

Trade Fast Set

Revision 1 Revision date 2014-02-24

SECTION 1: Identification of the substance/mixture and o	f the company/undertaking
--	---------------------------

1.1. Product identifier

Product name	Trade Fast Set

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC1] Adhesives, sealants; [PROC19] Hand-mixing with intimate contact and only PPE available; [ERC5] Industrial use resulting in inclusion into or onto a matrix; [AC4] Stone, plaster, cement, glass and ceramic articles;

1.3. Details of the supplier of the safety data sheet

Company	Larsen Building Products Ltd
Address	4 West Bank Road

Belfast Harbour Industrial Estate

Belfast BT3 9JL United Kingdom

www.larsenbuildingproducts.com

 Telephone
 +44 (0)28 9077 4000

 Fax
 +44 (0)28 9077 6945

Email t.moore@larsenbuildingproducts.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	Xi; R36/37/38
1999/45/EC	Symbols: Xi: Irritant.

Main hazards Irritating to eyes, respiratory system and skin.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Web

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc. Classification
				Number	(%w/w)
Silica Sand		14808-60-7	238-878-4		40 - 50%
Portland Cement (Portland cement total inhalable dust)		65997-15-1	266-043-4		20 - 30% Xi; R36/37/38
Calcium Sulphate		7778-18-9	231-900-3		1 - 10% Xi; R36/38

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation
	of the respiratory system. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open.



Trade Fast Set

Revision 1 Revision date 2014-02-24

		Revision date 2014-02-2	
4.1. Description of first aid meas	sures		
	Seek medical attention if irritation or sym	nptoms persist.	
Skin contact	Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.		
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms per DO NOT INDUCE VOMITING.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
	Carbon oxides.		
5.2. Special hazards arising from	n the substance or mixture		
	Burning produces irritating, toxic and ob	noxious fumes.	
5.3. Advice for firefighters			
	Wear suitable respiratory equipment who	en necessary.	
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, prote	ective equipment and emergency procedur	es	
	Avoid raising dust. Ensure adequate ver equipment.	ntilation of the working area. Wear suitable protective	
6.2. Environmental precautions			
	Do not allow product to enter drains. Pre	event further spillage if safe.	
6.3. Methods and material for c	ontainment and cleaning up		
	Sweep up. Transfer to suitable, labelled with plenty of water.	containers for disposal. Clean spillage area thoroughly	
SECTION 7: Handling and s	torage		
7.1. Precautions for safe handli	าg		
	Avoid contact with eyes and skin. Ensur	e adequate ventilation of the working area. Adopt best	
	Manual Handling considerations when h	andling, carrying and dispensing.	
7.2. Conditions for safe storage	, including any incompatibilities		
	Keep in a cool, dry, well ventilated area. containers.	Keep containers tightly closed. Store in correctly labelled	
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters			
8.1.1. Exposure Limit Values			
Portland Cement (Portland	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 4	
cement respirable dust)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
Portland Cement (Portland	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10	
cement total inhalable dust)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
Silica Sand	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.3	
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:	
8.2. Exposure controls			
8.2.1. Appropriate engineering	Ensure adequate ventilation of the worki	ng area.	
controls			



Wear chemical protective clothing.

Approved safety goggles.

8.2.2. Individual protection

Eye / face protection

measures

Trade Fast Set

Revision 1
Revision date 2014-02-24

8.2. Exposure controls

Skin protection - Handprotection

Chemical resistant gloves (PVC).

Respiratory protection

Wear:. Suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Colour Powder Grey/White

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

ADR/RID

The product is not classified as dangerous for carriage.

IMDG

The product is not classified as dangerous for carriage.

IATA

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

Labelling

Symbols

The product is classified in accordance with 67/548/EEC.

Xi: Irritant.



Risk phrases

R36/37/38 - Irritating to eyes, respiratory system and skin.

SECTION 16: Other information

Other information

RevisionThis document differs from the previous version in the following areas:.

1 - Product Use.



Trade Fast Set

Revision 1 Revision date 2014-02-24

Other information	
	 2 - 2.1. Classification of the substance or mixture. 9 - 9.1. Information on basic physical and chemical properties (State). 9 - 9.1. Information on basic physical and chemical properties (Colour). 11 - 11.1.4. Toxicological Information. 12 - 12.1. Toxicity. 15 - Labelling. 15 - Risk phrases.
Text of risk phrases in Section 3	R36/37/38 - Irritating to eyes, respiratory system and skin. R36/38 - Irritating to eyes and skin.
Labelling for contents	allergenic fragrances 0% - < 5%
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

